



GCE

Physics A

Unit **G481/01**: Mechanics

Advanced Subsidiary GCE

Mark Scheme for June 2015

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2015

G481

Mark Scheme

June 2015

Annotations

Annotation	Meaning
	Blank Page – this annotation must be used on all blank pages within an answer booklet (structured or unstructured) and on each page of an additional object where there is no candidate response.
	Benefit of doubt given
	Contradiction
	Incorrect response
	Error carried forward
	Follow through
	Not answered question
	Benefit of doubt not given
	Power of 10 error
	Omission mark
	Rounding error or reading/transcription error <i>(dual purpose)</i>
	Error in number of significant figures
	Correct response
	Arithmetic error
	Wrong physics or equation

G481**Mark Scheme****June 2015**

Abbreviations used in detailed mark scheme

Abbreviation	Meaning
/	alternative and acceptable answers for the same marking point
(1)	Separates marking points
reject	Answers which are not worthy of credit
not	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ecf	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

G481**Mark Scheme****June 2015****Subject-specific Marking Instructions***CATEGORISATION OF MARKS*

The marking schemes categorise marks on the MACB scheme.

B marks: These are awarded as independent marks, which do not depend on other marks. For a **B**-mark to be scored, the point to which it refers must be seen specifically in the candidate's answers.

M marks: These are method marks upon which **A**-marks (accuracy marks) later depend. For an **M**-mark to be scored, the point to which it refers must be seen in the candidate's answers. If a candidate fails to score a particular **M**-mark, then none of the dependent **A**-marks can be scored.

C marks: These are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, providing subsequent working gives evidence that they must have known it. For example, if an equation carries a **C**-mark and the candidate does not write down the actual equation but does correct working which shows the candidate knew the equation, then the **C**-mark is given.

A marks: These are accuracy or answer marks, which either depend on an **M**-mark, or allow a **C**-mark to be scored.

Note about significant figures and rounding errors:

If the data given in a question is to 2 sf, then allow answers to 2 or more sf. If an answer is given to fewer than 2 sf, then penalise once only in the entire paper. Any exception to this rule will be mentioned in the Guidance.

Penalise a rounding error once only in the entire paper.

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance
1	a	velocity against time	B1	Not 'speed' for velocity Not time against velocity Ignore units
	b	stress against strain	B1	Ignore units
	c	force / load / tension against length (of wire)	B1	Not force against <u>extension</u> Not 'weight' for force Not 'distance' for length Ignore units
Total			3	

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance
2	a	pressure and stress or pressure and Young modulus or stress and Young modulus or moment (of a force) and torque (of a couple)	B1	Allow other correct combinations Allow the following: <ul style="list-style-type: none"> e.m.f. and p.d. Any two from frequency, activity, decay constant and Hubble constant because of the s⁻¹ Ignore any units given (even if incorrect) Special case: Allow quantities with no units, e.g. strain and efficiency. Not any combination of length, distance and extension
	b	i	x-component = 6.0 (N) and y-component = 2.0 (N)	B1 Allow 1 sf answers Allow tolerance ± 0.1 N Not x-component = 2.0 (N) and y-component = 6.0 (N)
		ii	resultant components are 8.0 (N) and 5.0 (N) $F^2 = 8.0^2 + 5.0^2$ force = 9.4 (N)	C1 Allow: 1 sf values for this C1 mark Possible ecf from (b)(i) with x-components = 2 + b(i) and y-component = 3 + b(i) . C1 A1 Note: Answer is 9.43 to 3sf Not an answer left in square root form, e.g. $\sqrt{89}$ Allow full credit for a scale drawing; marks awarded as below: <ul style="list-style-type: none"> A dot / cross / mark at 8.0,5.0 (± 0.1) C1 Line drawn from 0,0 to 8.0,5.0 C1 force = 9.4 ± 0.1 (N) A1
	c	i	Down	B1 Allow a downward arrow on Fig. 2.2

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance
	ii	Horizontal component of the velocity is constant There is no <u>horizontal force</u>	B1 B1	Allow: There is no horizontal <u>acceleration</u> Allow: Weight / g has no horizontal component or Weight / g is 90° to the horizontal or Weight / g is vertical or 'there is <u>only</u> a vertical force' (Not 'gravity' for 'weight'; allow 'force of gravity')
	iii	Any <u>two</u> from: <ul style="list-style-type: none"> • It decreases from X to Y • It is zero at Y / It has the same magnitude at X and Z • It increases from Y to Z • It is positive from X to Y and negative from Y to Z (or vice versa) 	B1 × 2	Ignore description in terms of acceleration or deceleration Allow it changes sign / direction from X to Z
Total			10	

G481

Mark Scheme

June 2015

Question			Answer	Marks	Guidance
3	a	i	Length from A to B = 8.0 (cm) displacement = 400 (km) or time = 1500 (s) average velocity = $400 \times 10^3 / 1500$ average velocity = 270 (m s ⁻¹)	C1 C1 A1	Allow ± 0.1 cm Possible ecf within the calculation for an incorrect value for length AB . Note no credit if distance is used.
		ii	(The average speed is different because) the <u>distance</u> (travelled) is different / not the same / greater than the <u>displacement</u>	B1	
		b	i	distance = $2 \times \pi \times 4.2 \times 10^8$ speed = $\frac{2 \times \pi \times 4.2 \times 10^8}{1.5 \times 10^5}$ speed = 1.8×10^4 (m s ⁻¹)	C1 A1
		ii	$(0 = v^2 - 2as)$ $(1.3 \times 10^3)^2 = 2 \times a \times 470 \times 10^3$ (Any subject) $a = \frac{(1.3 \times 10^3)^2}{2 \times 470 \times 10^3}$ (a must be the subject) acceleration = 1.8 (m s ⁻²)	C1 C1 A1	Allow full credit for ' $mgh = \frac{1}{2} mu^2$ ' approach Ignore signs Allow: 2 marks for 1.8×10^n ; $n \neq 0$
Total				9	

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance
4	a	GPE linked to 'position' / height (in a gravitational field)	B1	Allow: GPE linked to an object 'raised' / 'lowered' (on the Earth)
	b	i		
		$v^2 = u^2 + 2as$ $v^2 = 15^2 + (2 \times 9.81 \times 2.8)$ or $v = \sqrt{280}$ speed = 17 (m s ⁻¹)	C1 A1	Allow other correct methods Note: Answer is 16.7 m s ⁻¹ to 3sf
		ii		
		(initial energy =) $\frac{1}{2} \times 0.20 \times 16.7^2$ or (initial energy =) $0.20 \times 9.81 \times 2.8 + \frac{1}{2} \times 0.20 \times 15^2$ (final energy =) $\frac{1}{2} \times 0.20 \times 12^2$ energy lost = 14 (J)	C1 C1 A1	Possible ecf from (b)(i) Special case: 1 mark for 8.1 (J); the difference in the initial KE ($\frac{1}{2} \times 0.20 \times 15^2$) and the final KE ($\frac{1}{2} \times 0.20 \times 12^2$)
		iii		
		change in velocity = 17 + 12 (= 29 m s ⁻¹) or 16.7 + 12 (= 28.7 m s ⁻¹) $F = ma$ force = $0.20 \times \frac{29}{0.065}$ or force = $0.20 \times \frac{28.7}{0.065}$ force = 89 (N) or force = 88 (N)	C1 A1	Possible ecf from (b)(i) Allow 1 mark for 'force = $0.20 \times \frac{(b)(i) - 12}{0.065}$ ', calculated with an answer.
Total			8	

G481

Mark Scheme

June 2015

Question	Answer	Marks	Guidance
5	<p>Any <u>one</u> from:</p> <ul style="list-style-type: none"> • Mass obtained using a balance / scales • Weight / load obtained using a newtonmeter / spring balance • Distance / height obtained using a ruler / metre stick / measuring tape <p>Time obtained using a clock / (stop)watch / timer or light-gate <u>and</u> timer or light-gate <u>and</u> data-logger</p> <p>(output power =) 'mass × <i>g</i> × distance'/time or 'weight × distance/time' or 'weight × speed'</p> <p>input power = output power/0.15</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p>	<p> The term clock / (stop)watch / timer /data-logger must be spelled correctly to gain this mark</p> <p>Allow symbols, e.g <i>mgh/t, Wh/t and Wv</i></p>
	Total	4	

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance	
6	a	$F \rightarrow \text{kg m s}^{-2}$ or $A \rightarrow \text{m}^2$ <u>and</u> $v \rightarrow \text{m s}^{-1}$	M1	Alternative: (units on rhs:) $\text{kg m}^{-3} \times \text{m}^2 \times \text{m}^2 \text{s}^{-2}$ or (unit for lhs:) = kg m s^{-2} M1 Manipulation leading to same units on both sides M1 Allow other correct methods	
		Manipulation leading to $k \rightarrow \text{kg m}^{-3}$	M1		
		$k \rightarrow \text{kg m}^{-3}$	A0		
	b	i	Arrow directly opposite to D on Fig. 6.1	B1	Ignore position and length of arrow
		ii	The ball is not at terminal velocity, since D and W are not (directly) opposite / The ball is not at terminal velocity because there is a net force	B1	Not D and W are at 90°
		iii	It is travelling (vertically) upwards It will slow down / It decelerates / It accelerates (vertically) downwards / There is a net downward force / drag opposes motion	M1 A1	
	c	At the start, acceleration = g (because there is no drag)	B1	Allow $9.8(1) \text{ m s}^{-2}$ / acceleration of free fall / acceleration due to gravity (Not 'gravity' on its own) Not rate of acceleration is g Not 'rate of acceleration decreases' unless it is qualified or 'acceleration slows down'	
Drag increases (as its speed increases / accelerates)		B1			
net force decreases or net force < weight		B1			
(As it falls) acceleration decreases / (As it falls) acceleration < g		B1			
Total			10		

G481

Mark Scheme

June 2015

Question			Answer	Marks	Guidance
7	a	i	mass = $2400 \times (0.80 \times 1.2 \times 15)$ / mass = 3.46×10^4 (kg) weight = $3.46 \times 10^4 \times 9.81$ weight = 3.4×10^5 (N)	C1 A1	
		ii	pressure = $3.4 \times 10^5 / (15 \times 0.80)$ pressure = 2.8×10^4 (Pa)	C1 A1	Possible ecf from (a)(i)
	b	i	Net moment is zero (about any point / axis).	B1	Allow 'clockwise moment(s) = anticlockwise moment(s)' Allow net torque is zero
		ii	The force exerted (at X) decreases. Correct explanation, e.g: The moment must be the same (about the other wall / pivot) and the distance (from it) has increased.	M1 A1	Allow 'force \times (perpendicular) distance' for moment
			Total	7	

G481

Mark Scheme

June 2015

Question		Answer	Marks	Guidance
8	a	The material is <u>elastic</u> / strain is zero when stress is <u>removed</u> / returns to its original shape when force is <u>removed</u> / there is no <u>plastic</u> deformation	B1	 The term elastic / remove(d) / plastic must be spelled correctly to gain this mark Ignore 'polymeric' Not 'it is ductile <u>and</u> elastic'
		It does not obey Hooke's law	B1	Allow: Stress is not proportional to strain / force is not proportional to extension
		The loading and unloading graphs are different (AW)	B1	Allow: It shows hysteresis / heat produced (when loaded and unloaded)
b	i	(breaking) stress = $\frac{16}{0.012 \times 0.018 \times 10^{-3}}$ or 7.41×10^7 (Pa)	C1	Alternative: $x = \frac{FL}{EA}$ (Any subject) C1 extension = $\frac{16 \times 0.15}{7.1 \times 10^{10} \times (0.012 \times 0.018 \times 10^{-3})}$ C1 extension = 1.6×10^{-4} (m) A1
		strain = $\frac{7.41 \times 10^7}{7.1 \times 10^{10}}$ or 1.04×10^{-3}	C1	
		extension = $1.04 \times 10^{-3} \times 0.15$		
		extension = 1.6×10^{-4} (m)	A1	
		assumption: Hooke's law obeyed / elastic limit is not exceeded / not plastically deformed / (cross-sectional) area is the same / thickness is the same / width is the same / no 'necking' / material is brittle	B1	
	ii	(breaking) stress = same $\frac{F}{\pi \times (0.60 \times 10^{-2})^2} = 7.41 \times 10^7$	C1	Allow other correct methods
		force = 8.4×10^3 (N)	A1	Possible ecf from (b)(i)
Total			9	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2015

