



GCE

Physics A

Advanced Subsidiary GCE

Unit **G481**: Mechanics

Mark Scheme for January 2011

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2011

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 770 6622
Facsimile: 01223 552610
E-mail: publications@ocr.org.uk

1. Abbreviations, annotations and conventions used in the detailed Mark Scheme.

/	= alternative and acceptable answers for the same marking point
(1)	= separates marking points
allow	= answers that can be accepted
not	= answers which are not worthy of credit
reject	= answers which are not worthy of credit
ignore	= statements which are irrelevant
()	= words which are not essential to gain credit
—	= underlined words must be present in answer to score a mark
ecf	= error carried forward
AW	= alternative wording
ora	= or reverse argument

2. Annotations: the following annotations are available on SCORIS.

✓	= correct response
×	= incorrect response
AE	= arithmetic error
BOD	= benefit of the doubt (where professional judgement has been used)
NBOD	= benefit of the doubt not given
ECF	= error carried forward
^	= information omitted
CON	= contradiction (in cases where candidates contradict themselves in the same response)
RE	= rounding error
SF	= error in the number of significant figures
POT	= error in the power of 10 in a calculation
?	= wrong physics or equation
NAQ	= not answered question
FT	= follow through

CATEGORISATION OF MARKS

The marking schemes categorise marks on the MACB scheme.

- B** marks: These are awarded as independent marks, which do not depend on other marks. For a **B**-mark to be scored, the point to which it refers must be seen specifically in the candidate's answers.
- M** marks: These are method marks upon which **A**-marks (accuracy marks) later depend. For an **M**-mark to be scored, the point to which it refers must be seen in the candidate's answers. If a candidate fails to score a particular **M**-mark, then none of the dependent **A**-marks can be scored.
- C** marks: These are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, providing subsequent working gives evidence that they must have known it. For example, if an equation carries a **C**-mark and the candidate does not write down the actual equation but does correct working which shows the candidate knew the equation, then the **C**-mark is given.
- A** marks: These are accuracy or answer marks, which either depend on an **M**-mark, or allow a **C**-mark to be scored.


Q 1	Expected Answers	Marks	Additional Guidance
a	work done \rightarrow N m stress \rightarrow N m ⁻² density \rightarrow kg m ⁻³	B2	Allow 2 marks if all correct Allow 1 mark if one or two responses are correct
b(i)	weight / gravitational force	B1	Not 'gravity'
b(ii)	(force =) 4.8×9.81 (= 47.1 N) $\text{pressure} = \frac{4.8 \times 9.81}{0.085 \times 0.085}$ pressure = 6.52×10^3 (Pa)	C1 A1	Note: 2 marks for bald 2 sf answer of 6.5×10^3 (Pa) Allow 1 mark for ' $48/0.085^2 = 6.64 \times 10^3$ '; g taken as 10 (N kg ⁻¹) Allow 1 mark for ' $4.8 \times 9.81/8.5^2 = 0.65$ ' Not 'mass/area' since it is 'wrong physics'.
b(iii)	8 4 2	B1 B1 B1	This must be consistent with the values for mass and cross-sectional area.
	Total	8	


Q2	Expected Answers	Marks	Additional Guidance
a	The <u>distance</u> travelled (by the car) from when the driver sees a problem and the brakes are applied	B1	Note: There must be reference to ‘stimulus’ and brakes. Not: ‘speed × reaction time’
b	Distance / displacement	B1	
c(i)	distance = 20×0.5 distance = 10 (m)	B1	
c(ii)	distance = area under graph distance = $\frac{1}{2} \times 20 \times 3.5$ distance = 35 (m)	C1 A1	Allow 1 mark if stopping distance of 45 m quoted No marks for an answer of ‘ $20 \times 3.5 = 70$ (m)’
d(i)	gradient = ‘acceleration’ / $a = \frac{v-u}{t}$ / $a = \frac{\Delta v}{\Delta t}$ $a = (-)\frac{20}{3.5}$ deceleration = $5.71(4) \approx 5.7$ (m s ²)	C1 A1	The first mark is for selecting correct equation or stating $a = \text{gradient}$ Note: Ignore negative sign
d(ii)	force = 910×5.71 force ≈ 5200 (N)	C1 A1	Possible ecf from (d)(i)
e	Increases by a factor of 4 Braking distance $\propto \text{speed}^2$ / ‘ $Fx = \frac{1}{2}mv^2$ ’ / speed doubles <u>and</u> time doubles	B1 B1	

Q2	Expected Answers	Marks	Additional Guidance
f	<p>Large deceleration / rapid decrease in speed (triggers the air bag)</p> <p>Prevent collision with steering wheel / windscreen / dashboard</p> <p>Time (for stopping) is more / distance (for stopping) is more</p> <p>Smaller deceleration / acceleration (of person)</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p>	<p>Must use ticks on Scoris to show where the marks are awarded</p> <p>Not 'quick / sudden / rapid deceleration' Not 'large acceleration'</p> <p>Allow: 'smaller rate of change of momentum' Not 'smaller <u>rate</u> of deceleration'</p>
	Total	15	

Q3	Expected Answers	Marks	Additional Guidance
a	work (done) = force × distance <u>moved</u> in the direction of force	B1	Allow: work = force × displacement in direction of force Not: work (done) = energy transfer
b(i)	(Net /total /resultant force is) zero The <u>acceleration</u> is zero	B1 B1	Not ‘a = 0’
b(ii)	$9.0 \times 10^3 \cos 83^\circ$ or $9.0 \times 10^3 \sin 7^\circ$ 1.1×10^3 (N)	C1 A1	Not ‘ $9.0 \times 10^3 \cos 7^\circ$ ’
b(iii)	work done per second = 300×18 work done per second = $5400 \text{ (J s}^{-1}\text{)}$	B1	
b(iv)	(total force down slope =) $1100 + 300$ (N) (power =) 1400×18 (power =) 2.52×10^4 (W) or 2.5×10^4 (W) or rate of work done against weight = $1.1 \times 10^3 \times 18$ (= 19800 W) power = 19800+ 5400 power = 2.52×10^4 (W) or 2.5×10^4 (W)	C1 C1 A1 C1 C1 A1	Allow: 1400 (N) Possible ecf from (b)(ii) Allow: ‘ $F_x \cos \theta = 9.0 \times 10^3 \times 18 \times \cos 83^\circ$ ’ Possible ecf from (b)(ii) and (b)(iii)
	Total	9	

Q4	Expected Answers	Marks	Additional Guidance
a	kinetic energy = $\frac{1}{2} \times \text{mass} \times \text{speed}^2$	B1	Allow KE = $\frac{1}{2} mv^2$, where m = mass and v = speed Allow velocity instead of speed Not: KE = $\frac{1}{2} mv^2$ on its own
b(i)	initial KE = $\frac{1}{2} \times 3.0 \times 10^{-2} \times 200^2$ (= 600 J) final KE = $\frac{1}{2} \times 3.0 \times 10^{-2} \times 50^2$ (= 37.5 J) Loss in KE = 600 – 37.5 Loss in KE = 562.5 (J) \approx 560 (J)	C1 C1 A1	Special case: 1 mark for ‘KE = $\frac{1}{2} mv^2$... loss in KE = ($\frac{1}{2} \times 3.0 \times 10^{-2} \times 200 - \frac{1}{2} \times 3.0 \times 10^{-2} \times 50$) 2.25 (J)’ Note: No marks for 337.5 (J) when Δv used in the KE equation ($\frac{1}{2} \times 3.0 \times 10^{-2} \times 150^2 = 337.5$ J)
b(ii)	work done = (loss in) KE / $a = (v^2 - u^2) / 2s$ $F \times 1.5 \times 10^{-2} = 562.5$ / $a = (-) 1.25 \times 10^6$ force = 3.75×10^4 (N)	C1 A1	Possible ecf from (b)(i) Allow: A 2 sf answer of either 3.8×10^4 (N) or 3.7×10^4 (N)
	Total	6	

Q5	Expected Answers	Marks	Additional Guidance
a	<p>...incorrect</p> <p>Mass (of the particle) increases (as it approaches speed of light)</p>	<p>M1</p> <p>A1</p>	<p>In question 5, use tick or cross on Scoris to show if the mark is awarded</p> <p>Not: mass <i>changes</i></p>
b	<p>....correct</p> <p>KE is changed into (G)PE or (G)PE is changed into KE or change in KE = change in (G)PE (AW)</p>	<p>M1</p> <p>A1</p>	<p>Note: This mark is for stating the transfer of energy between kinetic and (gravitational) potential</p>
c	<p>...incorrect</p> <p>Weight is equal to drag / air resistance / friction (and not acceleration of free fall)</p>	<p>M1</p> <p>A1</p>	<p>Allow alternative response:</p> <p>..... incorrect M1</p> <p>Acceleration and weight are not the same quantities (AW) A1</p>
d	<p>...incorrect</p> <p>The technique is trilateration</p> <p> The term <i>trilateration</i> to be included and spelled correctly to gain the A1 mark</p>	<p>M1</p> <p>A1</p>	<p>Note 1 mark if ‘trilateration’ is misspelled but candidate has mentioned that the statement is incorrect</p>
	Total	8	

Q6	Expected Answers	Marks	Additional Guidance
a	<p>A pair of <u>equal</u> and <u>opposite</u> forces (with their lines of action separated by a distance)</p> <p> The term <i>opposite</i> to be included and spelled correctly to gain mark</p>	B1	<p>Must use tick or cross on Scoris to show if the mark is awarded</p> <p>No mark can be scored if there is no reference 'opposite'. (Allow 'opposing')</p>
b(i)	moment = force \times <u>perpendicular</u> distance from pivot / axis / point	B1	
b(ii)	<p>(clockwise moment =) 20×0.60 <u>and</u> (anticlockwise moments =) $10 \times 0.20 + 30 \times 0.30$</p> <p>(Not in equilibrium because) clockwise moment \neq anticlockwise moment / clockwise moment $>$ anticlockwise moment / $12 \text{ (Nm)} > 11 \text{ (Nm)}$ / $12 \text{ (Nm)} \neq 11 \text{ (Nm)}$</p>	<p>M1</p> <p>A1</p>	Allow a correct moments equation involving all three forces
	Total	4	

Q7	Expected Answers	Marks	Additional Guidance
a(i)	Y (is brittle)	B1	
a(ii)	(Both) obey Hooke's law	B1	Allow (For both) stress \propto strain / elastic (behaviour) / 'not plastic (behaviour)' / force \propto extension Not: 'straight line(s)'
a(iii)	Gradient (of the linear section) is equal to Young Modulus / gradient is largest X (has largest Young modulus)	B1 B1	Allow: 'slope' for 'gradient'
b	(force increases by a factor of) 30^2 force = 240×30^2 force = 2.16×10^5 (N)	C1 A1	Allow: 1 mark for value of breaking stress of $1.2(2) \times 10^9$ (Pa)
	Total	6	

G481

Mark Scheme

January 2011

Q8	Expected Answers	Marks	Additional Guidance
a	time = 1.2/8.0 time = 0.15 (s)	M1 A0	Note: The mark is for dividing the distance by the speed – hence must be seen
b	$s = ut + \frac{1}{2}at^2$ and $u = 0$ / $s = \frac{1}{2}at^2$ / $h = \frac{1}{2} \times 9.81 \times 0.15^2$ $h = 0.11$ (m)	C1 A1	
c	They both have same (vertical) acceleration / same acceleration of free fall / acceleration of 9.8 ms^{-2} (and zero initial vertical velocity)	B1	Note: Must have reference to both objects
	Total	4	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

14 – 19 Qualifications (General)

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

