

General Certificate of Education  
January 2009  
Advanced Level Examination



**MATHEMATICS**  
**Unit Pure Core 4**

**MPC4**

Wednesday 21 January 2009 1.30 pm to 3.00 pm

**For this paper you must have:**

- an 8-page answer book
  - the blue AQA booklet of formulae and statistical tables.
- You may use a graphics calculator.

Time allowed: 1 hour 30 minutes

**Instructions**

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MPC4.
- Answer **all** questions.
- Show all necessary working; otherwise marks for method may be lost.

**Information**

- The maximum mark for this paper is 75.
- The marks for questions are shown in brackets.

**Advice**

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

---

Answer **all** questions.

---

- 1 (a) The polynomial  $f(x)$  is defined by  $f(x) = 4x^3 - 7x - 3$ .
- (i) Find  $f(-1)$ . (1 mark)
- (ii) Use the Factor Theorem to show that  $2x + 1$  is a factor of  $f(x)$ . (2 marks)
- (iii) Simplify the algebraic fraction  $\frac{4x^3 - 7x - 3}{2x^2 + 3x + 1}$ . (3 marks)
- (b) The polynomial  $g(x)$  is defined by  $g(x) = 4x^3 - 7x + d$ . When  $g(x)$  is divided by  $2x + 1$ , the remainder is 2. Find the value of  $d$ . (2 marks)
- 2 (a) Express  $\sin x - 3 \cos x$  in the form  $R \sin(x - \alpha)$ , where  $R > 0$  and  $0 < \alpha < \frac{\pi}{2}$ . Give your value of  $\alpha$  in radians to two decimal places. (3 marks)
- (b) Hence:
- (i) write down the minimum value of  $\sin x - 3 \cos x$ ; (1 mark)
- (ii) find the value of  $x$  in the interval  $0 < x < 2\pi$  at which this minimum value occurs, giving your value of  $x$  in radians to two decimal places. (2 marks)
- 3 (a) (i) Express  $\frac{2x + 7}{x + 2}$  in the form  $A + \frac{B}{x + 2}$ , where  $A$  and  $B$  are integers. (2 marks)
- (ii) Hence find  $\int \frac{2x + 7}{x + 2} dx$ . (2 marks)
- (b) (i) Express  $\frac{28 + 4x^2}{(1 + 3x)(5 - x)^2}$  in the form  $\frac{P}{1 + 3x} + \frac{Q}{5 - x} + \frac{R}{(5 - x)^2}$ , where  $P$ ,  $Q$  and  $R$  are constants. (5 marks)
- (ii) Hence find  $\int \frac{28 + 4x^2}{(1 + 3x)(5 - x)^2} dx$ . (4 marks)

- 4 (a) (i) Find the binomial expansion of  $(1 - x)^{\frac{1}{2}}$  up to and including the term in  $x^2$ .  
(2 marks)
- (ii) Hence obtain the binomial expansion of  $\sqrt{4 - x}$  up to and including the term in  $x^2$ .  
(3 marks)
- (b) Use your answer to part (a)(ii) to find an approximate value for  $\sqrt{3}$ . Give your answer to three decimal places.  
(2 marks)

- 5 (a) Express  $\sin 2x$  in terms of  $\sin x$  and  $\cos x$ .  
(1 mark)
- (b) Solve the equation

$$5 \sin 2x + 3 \cos x = 0$$

giving all solutions in the interval  $0^\circ \leq x \leq 360^\circ$  to the nearest  $0.1^\circ$ , where appropriate.  
(4 marks)

- (c) Given that  $\sin 2x + \cos 2x = 1 + \sin x$  and  $\sin x \neq 0$ , show that  $2(\cos x - \sin x) = 1$ .  
(4 marks)

6 A curve is defined by the equation  $x^2y + y^3 = 2x + 1$ .

- (a) Find the gradient of the curve at the point  $(2, 1)$ .  
(6 marks)
- (b) Show that the  $x$ -coordinate of any stationary point on this curve satisfies the equation

$$\frac{1}{x^3} = x + 1 \quad (4 \text{ marks})$$

**Turn over for the next question**

**Turn over ►**

- 7 (a) A differential equation is given by  $\frac{dx}{dt} = -kte^{\frac{1}{2}x}$ , where  $k$  is a positive constant.
- (i) Solve the differential equation. (3 marks)
- (ii) Hence, given that  $x = 6$  when  $t = 0$ , show that  $x = -2 \ln\left(\frac{kt^2}{4} + e^{-3}\right)$ . (3 marks)
- (b) The population of a colony of insects is decreasing according to the model  $\frac{dx}{dt} = -kte^{\frac{1}{2}x}$ , where  $x$  thousands is the number of insects in the colony after time  $t$  minutes. Initially, there were 6000 insects in the colony.
- Given that  $k = 0.004$ , find:
- (i) the population of the colony after 10 minutes, giving your answer to the nearest hundred; (2 marks)
- (ii) the time after which there will be no insects left in the colony, giving your answer to the nearest 0.1 of a minute. (2 marks)
- 8 The points  $A$  and  $B$  have coordinates  $(2, 1, -1)$  and  $(3, 1, -2)$  respectively. The angle  $OBA$  is  $\theta$ , where  $O$  is the origin.
- (a) (i) Find the vector  $\overrightarrow{AB}$ . (2 marks)
- (ii) Show that  $\cos \theta = \frac{5}{2\sqrt{7}}$ . (4 marks)
- (b) The point  $C$  is such that  $\overrightarrow{OC} = 2\overrightarrow{OB}$ . The line  $l$  is parallel to  $\overrightarrow{AB}$  and passes through the point  $C$ . Find a vector equation of  $l$ . (2 marks)
- (c) The point  $D$  lies on  $l$  such that angle  $ODC = 90^\circ$ . Find the coordinates of  $D$ . (4 marks)

**END OF QUESTIONS**